



1 - Description :

Its a special hardener that consists of the best type of aliphatic poly isocyanate resins. It is designed especially for Wood acrylic varnish 8800.

2 - Characteristics :

- Colorless.
- High gloss.
- Fast drying.
- High resistance to conditions and weather conditions.



3 - Uses :

Wood acrylic varnish 8800.

4 - Instructions for use :

Mixing ratio:

100	parts by volume of wood acrylic varnish 8800
50	parts by volume of wood acrylic hardener H50
5 to 10	parts by volume of 2K-thinner

5 - Drying time :

Dust Free	30 min.
Touch dry	60 min.
Complete dry	8-10 hrs.





5 - Shelf life :

1 year from production date .

6 - Packaging :

0.5 Kg, 1.350 Kg.

